

L Number	Hits	Search Text	DB	Time stamp
1	1	5595930.PN. and (micro\$6)	USPAT	2004/07/07 11:09
-	350	348/308.ccls.	USPAT	2004/06/30 07:31
-	4	lee-do-young.in.	USPAT	2004/06/23 16:02
-	588	20010208.ad.	USPAT	2004/06/23 15:44
-	54	20010208.ad. and Lee	USPAT	2004/06/23 15:45
-	16	20010208.ad. and pixel	USPAT	2004/06/23 15:46
-	16	lee-do-young.in.	USPAT; US-PGPUB; EPO; JPO	2004/06/23 16:02
-	490	348/308.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/06/23 16:04
-	45	square near3 photodiode\$2 same area	USPAT; US-PGPUB; EPO; JPO	2004/06/23 16:21
-	3	("4764682" "5168338" "5578815").PN.	USPAT	2004/06/23 16:11
-	535	anode SAME ground same cathode same photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/24 06:25
-	7	anode SAME ground same cathode same photodiode same (transfer adj transistor)	USPAT; US-PGPUB; EPO; JPO	2004/06/24 07:02
-	3	60/182044	USPAT; US-PGPUB; EPO; JPO	2004/06/24 08:01
-	19	("3866067" "3934161" "4363963" "4395736" "4499590" "4704633" "4839735" "4901129" "4908651" "5117292" "5227887" "5276521" "5317174" "5335015" "5341008" "5424223" "5471245" "5625210" "5712682").PN.	USPAT	2004/06/24 07:42
-	19	("4333111" "4413284" "4484210" "4809075" "4908518" "4984047" "5051797" "5060245" "5115458" "5182623" "5202907" "5235196" "5235198" "5256891" "5306931" "5337340" "5359213" "5399889" "5471515").PN.	USPAT	2004/06/24 07:51
-	15	5,898,168	USPAT; US-PGPUB; EPO; JPO	2004/06/24 08:22
-	9	6,344,877	USPAT; US-PGPUB; EPO; JPO	2004/06/24 08:22
-	1	"5614744".PN.	USPAT	2004/06/24 08:23
-	74	5614744.URPN.	USPAT	2004/06/24 08:26
-	305	square near3 photodiode\$2	USPAT; US-PGPUB; EPO; JPO	2004/06/29 06:55
-	147	"5625210"	USPAT; US-PGPUB; EPO; JPO	2004/06/24 08:49
-	1	square adj image adj sensing adj area	USPAT; US-PGPUB; EPO; JPO	2004/06/24 08:50
-	1	"5471515".PN.	USPAT	2004/06/24 08:51
-	1	"5323052".PN.	USPAT	2004/06/24 08:55
-	1	"5262871".PN.	USPAT	2004/06/24 08:58
-	1	"5369039".PN.	USPAT	2004/06/24 08:59
-	32	square adj image adj area	USPAT; US-PGPUB; EPO; JPO	2004/06/28 14:54
-	1	"5541402".PN.	USPAT	2004/06/24 09:04
-	1	"5576763".PN.	USPAT	2004/06/24 09:05
-	1	"5757045".PN.	USPAT	2004/06/24 09:05
-	1	"5708263".PN.	USPAT	2004/06/24 09:05
-	1	"5689208".PN.	USPAT	2004/06/24 09:05

-	1	"5625210".PN.	USPAT	2004/06/24 09:05
-	1	"4602289".PN.	USPAT	2004/06/24 09:52
-	1	"4012587".PN.	USPAT	2004/06/24 09:53
-	1	"4336556".PN.	USPAT	2004/06/24 09:54
-	1	"5144447".PN.	USPAT	2004/06/24 09:56
-	1	"6538693".PN.	USPAT	2004/06/24 09:56
-	1	"6566723".PN.	USPAT	2004/06/24 09:57
-	7	("4651001" "5605847" "6184945" "6211553" "6335770" "6342935" "6344885").PN.	USPAT	2004/06/24 09:59
-	0	"932 320 A2"	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:19
-	1	"932320 A2"	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:21
-	0	9920052.1	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:20
-	0	99200052.1	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:20
-	0	"932 320 A2"	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:20
-	1	"932302 A2"	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:34
-	0	6522356.pn. and micro\$5	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:34
-	0	6522356.pn. and micro\$8	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:34
-	0	6522356.pn. and (lens\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:56
-	1	6522356.pn.	USPAT; US-PGPUB; EPO; JPO	2004/06/24 12:58
-	1	(6522356.pn. EP000932302A2) and scan\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/24 16:17
-	0	(6522356.pn. EP000932302A2) and reset\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/24 16:17
-	0	6522356.pn. and reset\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/24 16:21
-	1	5898168.pn.	USPAT; US-PGPUB; EPO; JPO	2004/06/24 16:21
-	12	("4392152" "5270573" "5313095" "5397905" "5459350" "5479050" "5491360" "5563441" "5598038" "5661342" "5704593" "5767573").PN.	USPAT	2004/06/28 09:47
-	0	photodiode\$2 and "sides near7 positioned"	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:16
-	0	CMOS and "sides near7 positioned"	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:16
-	574	CMOS and (sides near7 positioned)	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:16

-	75	CMOS and (sides near7 positioned) and photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:16
-	53	CMOS and (sides near7 positioned) and photodiode and transistor\$2	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:31
-	22	("5471515" "5587596" "5608243" "5625210" "5631704" "5721425" "5760458" "5789774" "5838650" "5841159" "5841176" "5847422" "5859450" "5892253" "5970316" "5995163" "6005619" "6008486" "6051447" "6160281" "6160282" "6259124").PN.	USPAT	2004/06/28 11:19
-	3	CMOS and photodiode and transistor\$2 adj layout	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:32
-	186	crosstalk and MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:32
-	38	(US-6522356-\$ or US-6753912-\$ or US-6654057-\$ or US-6650369-\$ or US-5796481-\$ or US-6707497-\$ or US-6197503-\$ or US-5119183-\$ or US-5519497-\$ or US-4594514-\$ or US-4697280-\$ or US-4080723-\$ or US-4764682-\$ or US-5625210-\$ or US-6097022-\$ or US-5471515-\$ or US-5614744-\$ or US-6002123-\$ or US-6309075-\$ or US-5904493-\$ or US-4602289-\$ or US-6211553-\$ or US-6184945-\$ or US-6242801-\$ or US-6124595-\$ or US-6084669-\$).did. or (US-6069651-\$ or US-6066846-\$ or US-5903016-\$ or US-5719414-\$ or US-5608451-\$ or US-5543868-\$ or US-5394005-\$ or US-6259124-\$ or US-6366365-\$ or US-6363046-\$).did. or (US-20020008767-\$).did. or (EP-932302-\$).did.	USPAT; US-PGPUB; EPO	2004/06/28 11:45
-	3	((US-6522356-\$ or US-6753912-\$ or US-6654057-\$ or US-6650369-\$ or US-5796481-\$ or US-6707497-\$ or US-6197503-\$ or US-5119183-\$ or US-5519497-\$ or US-4594514-\$ or US-4697280-\$ or US-4080723-\$ or US-4764682-\$ or US-5625210-\$ or US-6097022-\$ or US-5471515-\$ or US-5614744-\$ or US-6002123-\$ or US-6309075-\$ or US-5904493-\$ or US-4602289-\$ or US-6211553-\$ or US-6184945-\$ or US-6242801-\$ or US-6124595-\$ or US-6084669-\$).did. or (US-6069651-\$ or US-6066846-\$ or US-5903016-\$ or US-5719414-\$ or US-5608451-\$ or US-5543868-\$ or US-5394005-\$ or US-6259124-\$ or US-6366365-\$ or US-6363046-\$).did. or (US-20020008767-\$).did. or (EP-932302-\$).did.) and crosstalk	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:46
-	5	((US-6522356-\$ or US-6753912-\$ or US-6654057-\$ or US-6650369-\$ or US-5796481-\$ or US-6707497-\$ or US-6197503-\$ or US-5119183-\$ or US-5519497-\$ or US-4594514-\$ or US-4697280-\$ or US-4080723-\$ or US-4764682-\$ or US-5625210-\$ or US-6097022-\$ or US-5471515-\$ or US-5614744-\$ or US-6002123-\$ or US-6309075-\$ or US-5904493-\$ or US-4602289-\$ or US-6211553-\$ or US-6184945-\$ or US-6242801-\$ or US-6124595-\$ or US-6084669-\$).did. or (US-6069651-\$ or US-6066846-\$ or US-5903016-\$ or US-5719414-\$ or US-5608451-\$ or US-5543868-\$ or US-5394005-\$ or US-6259124-\$ or US-6366365-\$ or US-6363046-\$).did. or (US-20020008767-\$).did. or (EP-932302-\$).did.) and MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/28 11:47
-	6	((US-6522356-\$ or US-6753912-\$ or US-6654057-\$ or US-6650369-\$ or US-5796481-\$ or US-6707497-\$ or US-6197503-\$ or US-5119183-\$ or US-5519497-\$ or US-4594514-\$ or US-4697280-\$ or US-4080723-\$ or US-4764682-\$ or US-5625210-\$ or US-6097022-\$ or US-5471515-\$ or US-5614744-\$ or US-6002123-\$ or US-6309075-\$ or US-5904493-\$ or US-4602289-\$ or US-6211553-\$ or US-6184945-\$ or US-6242801-\$ or US-6124595-\$ or US-6084669-\$).did. or (US-6069651-\$ or US-6066846-\$ or US-5903016-\$ or US-5719414-\$ or US-5608451-\$ or US-5543868-\$ or US-5394005-\$ or US-6259124-\$ or US-6366365-\$ or US-6363046-\$).did. or (US-20020008767-\$).did. or (EP-932302-\$).did.) and crosstalk	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:01
-	10	("5434619" "5493423" "5793423" "5898168" "5933190" "5962844" "6097022" "6115066" "6166767" "6344877").PN.	USPAT	2004/06/28 11:51

-	1	6002123.pn.	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:13
-	34	photodiode and reset and transfer and source and crosstalk and fill	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:32
-	1	"6633334"	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:37
-	16	("4835404" "4879470" "4967067" "4972243" "5162912" "5184006" "RE34309" "5262870" "5539196" "5693932" "5714752" "5955753" "6094220" "6160281" "6352869" "6423994").PN.	USPAT	2004/06/28 12:32
-	1	Mendis and cmos and crosstalk and (fill adj factor)	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:57
-	9	"6002123"	USPAT; US-PGPUB; EPO; JPO	2004/06/28 12:57
-	3	("5841126" "5898168" "5900623").PN.	USPAT	2004/06/28 12:59
-	42	(US-6522356-\$ or US-6753912-\$ or US-6654057-\$ or US-6650369-\$ or US-5796481-\$ or US-6707497-\$ or US-6197503-\$ or US-5119183-\$ or US-5519497-\$ or US-4594514-\$ or US-4697280-\$ or US-4080723-\$ or US-4764682-\$ or US-5625210-\$ or US-6097022-\$ or US-5471515-\$ or US-5614744-\$ or US-6002123-\$ or US-6309075-\$ or US-5904493-\$ or US-4602289-\$ or US-6211553-\$ or US-6184945-\$ or US-6242801-\$ or US-6124595-\$ or US-6084669-\$).did. or (US-6069651-\$ or US-6066846-\$ or US-5903016-\$ or US-5719414-\$ or US-5608451-\$ or US-5543868-\$ or US-5394005-\$ or US-6259124-\$ or US-6366365-\$ or US-6363046-\$ or US-5962844-\$ or US-5793423-\$ or US-5898168-\$ or US-6633334-\$).did. or (US-20020008767-\$).did. or (EP-932302-\$).did.	USPAT; US-PGPUB; EPO	2004/06/28 13:54
-	48	cmos and micro\$5 and (square near7 photodiode)	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:01
-	5	("4677453" "4901129" "5479049" "5705837" "5920092").PN.	USPAT	2004/06/28 14:47
-	0	square adj2(image adj area near4 sensing)	USPAT; US-PGPUB; EPO; JPO	2004/06/28 14:56
-	8	(square adj2 image adj area) and CMOS	USPAT; US-PGPUB; EPO; JPO	2004/06/28 14:56
-	38	cmos and micro\$5 adj len\$3 and hemispher\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:04
-	29	cmos and (microlen\$3 and hemispher\$7)	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:09
-	71	("3234394" "3723805" "4125862" "4152724" "4191967" "4204230" "4240727" "4463380" "4518898" "4549208" "4554585" "4574311" "4602289" "4661855" "4670648" "4683498" "4720746" "4728839" "4736436" "4740839" "4751660" "4752831" "4757384" "4772942" "4797562" "4797942" "4807158" "4819070" "4835532" "4837429" "4843475" "4858002" "4858014" "4858149" "4877959" "4882478" "4893025" "4899293" "4918473" "4924094" "4928174" "4942473" "4945367" "4965844" "4991020" "5005083" "5019912" "5020114" "5023725" "5043817" "5048102" "5057923" "5067019" "5068735" "5077609" "5107122" "5140395" "5173948" "5175808" "5185667" "5200818" "5231673" "5243433" "5276519" "5276521" "5313306" "5359363" "5396583" "5428390" "5489940" "5905530").PN.	USPAT	2004/06/28 15:07

-	84	microlen\$3 near7 fill	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:29
-	18	(microlen\$3 near7 fill) and hemispher\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:35
-	15	((micro adj len\$3) near7 fill) and hemispher\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/28 15:40
-	172	((micro adj len\$3)) and hemispher\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/28 16:05
-	2	"5595930" and hemispher\$7	USPAT; US-PGPUB; EPO; JPO	2004/06/28 16:05
-	5260	(cross adj talk) and optim\$5	USPAT	2004/06/28 16:48
-	164	(cross adj talk) near7 optim\$5	USPAT	2004/06/28 17:04
-	25	(cross adj talk) near7 optim\$5 and sensor\$2	USPAT	2004/06/28 17:04
-	4	("5043582" "5619033" "6054746" "6288435").PN.	USPAT	2004/06/28 17:06
-	14	("4670765" "4672454" "4675739" "4785186" "5017989" "5079426" "5117114" "5164809" "5235195" "5319206" "5381014" "5396072" "5420452" "5516712").PN.	USPAT	2004/06/28 17:11
-	5	(square near3 active) same photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 06:58
-	13	(square near3 (active adj sensing)) and photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 07:02
-	0	(square near3 (active adj sensing)) and photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 07:02
-	4	(square near3 (image adj sensing)) and photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 07:25
-	293	fossum and square	USPAT; US-PGPUB; EPO; JPO	2004/06/29 07:25
-	160	fossum and square and cmos	USPAT; US-PGPUB; EPO; JPO	2004/06/29 07:28
-	60	photodiode and (floating adj node)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 08:15
-	17	("5012344" "5471515" "5587596" "5608243" "5625210" "5631704" "5698844" "5721425" "5760458" "5786623" "5789774" "5838650" "5847422" "5872371" "6150704" "6184516" "6466266").PN.	USPAT	2004/06/29 07:59
-	17	(photodiode or (photo adj diode)) and (floating adj node) and square	USPAT; US-PGPUB; EPO; JPO	2004/06/29 08:45
-	16	(photodiode or (photo adj diode)) and (floating adj node) and square and transfer	USPAT; US-PGPUB; EPO; JPO	2004/06/29 09:08
-	189	pinned adj photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 09:29
-	148	"5625210"	USPAT; US-PGPUB; EPO; JPO	2004/06/29 09:11
-	51	(pinned adj photodiode) and square	USPAT; US-PGPUB; EPO; JPO	2004/06/29 10:59
-	3	("4282535" "5847836" "5956051").PN.	USPAT	2004/06/29 09:49

-	29	"5986297" and cross\$5	USPAT; US-PGPUB; EPO; JPO	2004/06/29 11:17
-	1	"6633334" and cross\$5	USPAT; US-PGPUB; EPO; JPO	2004/06/29 12:37
-	410	pixel and reduce near2 distance	USPAT; US-PGPUB; EPO; JPO	2004/06/29 12:38
-	410	pixel and (reduce near2 distance)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 12:38
-	200	pixel and (reduce near2 distance near2 between)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 12:39
-	32	pixel SAME (reduce near2 distance near2 between)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 12:42
-	432	pixel SAME (increase near2 density)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:23
-	72	pixel SAME (increase near2 density) and (mos cmos)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:24
-	899	pixel SAME (distance same image) and (mos cmos)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:24
-	599	pixel SAME (distance WITH (image imaging)) and (mos cmos)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:25
-	34	pixel SAME (distance WITH (image imaging)) same (reduce decrease) and (mos cmos)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:35
-	390	square near2 (photodiode (photo adj sensitive) photosensitive)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:39
-	39	square near2 (photodiode (photo adj sensitive) photosensitive) with area	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:43
-	2813	fill adj factor	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:43
-	449	(fill adj factor) and photodiode	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:46
-	520051	distance adj between (image adj sensing)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:47
-	27	distance adj between adj (image adj sensing)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:49
-	483	distance adj between adj (photosensitive)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:49
-	23	(distance adj between adj (photosensitive)) and (photodiode photogate)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:53
-	11544	resolution and (photodiode photogate)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:54
-	212	increased adj resolution and (photodiode photogate)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:56

-	119	increased adj resolution and (photodiode photogate) and (square rectang\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 16:56
-	18	increased adj resolution and (photodiode photogate) SAME (square rectang\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 17:10
-	5126	(increas\$3 decreas\$3) and (photodiode photogate photosensitive) SAME (square rectang\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 17:11
-	220	(increas\$3 decreas\$3) WITH (photodiode photogate photosensitive) SAME (square rectang\$4)	USPAT; US-PGPUB; EPO; JPO	2004/06/29 17:11
-	15	(increas\$3 decreas\$3) WITH (photodiode photogate photosensitive) SAME (square rectang\$4) with pixel	USPAT; US-PGPUB; EPO; JPO	2004/06/29 17:18
-	7	(increas\$3 decreas\$3) WITH (square rectang\$4) with pixel adj density	USPAT; US-PGPUB; EPO; JPO	2004/06/29 17:18
-	355	distance adj between adj pixels	USPAT	2004/06/30 07:38
-	0	reduce near2 distance adj between adj pixels	USPAT	2004/06/30 07:39
-	1	reduces near2 distance adj between adj pixels	USPAT	2004/06/30 07:40
-	5	reduce\$2 near2 (distance adj between adj pixels)	USPAT	2004/06/30 07:42
-	541	257/\$.ccls. and (reduce\$2 near2 (distance adj between))	USPAT	2004/06/30 07:43
-	2	257/\$.ccls. and (reduce\$2 near2 (distance adj between) with (pixels sensing))	USPAT	2004/06/30 07:47
-	573	257/\$.ccls. and (optimize\$2 with (distance spac\$4))	USPAT	2004/06/30 07:48
-	148	257/\$.ccls. and (optimize\$2 near2 (distance spac\$4))	USPAT	2004/06/30 07:49
-	12	257/\$.ccls. and (optimize\$2 near2 (distance spac\$4)) and (crosstalk cross-talk)	USPAT	2004/06/30 08:01
-	2657	257/\$.ccls. and (crosstalk cross-talk)	USPAT	2004/06/30 08:01
-	90	(257/\$.ccls. 348/\$.ccls.) and ((crosstalk cross-talk) same (photosensor sensing))	USPAT	2004/06/30 09:32
-	49	(257/\$.ccls. 348/\$.ccls.) and ((crosstalk cross-talk) same (photosensor sensing)) and (distance proximity)	USPAT	2004/06/30 09:44
-	7	("4667092" "5032718" "5311337" "5535028" "5744826" "5759078" "5818052").PN.	USPAT	2004/06/30 09:38
-	113	pixel adj (geometry)	USPAT	2004/06/30 14:33
-	16	(pixel adj (geometry)) and (fill adj factor)	USPAT	2004/06/30 10:26
-	11	"5595930"	USPAT	2004/06/30 10:29
-	34	"5904493"	USPAT	2004/06/30 10:29
-	1	5904493.pn.	USPAT	2004/06/30 13:56
-	48	guidash and kodak	USPAT	2004/06/30 13:56
-	2	guidash and kodak and MTF	USPAT	2004/06/30 14:51
-	47	crosstalk and pixel and MTF	USPAT	2004/06/30 14:33
-	81	crosstalk and pixel and MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/30 14:53
-	3	guidash and kodak and MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/30 14:51
-	18	crosstalk SAME ((image adj sens\$4) (photosens\$4)) SAME MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/30 14:57
-	390	((image adj sens\$4) (photosens\$4)) SAME MTF	USPAT; US-PGPUB; EPO; JPO	2004/06/30 14:58
-	19	("4373167" "4467341" "4696021" "4928158" "4958207" "4977584" "5028970" "5235197" "5479049" "5493143" "5631704" "5739548" "5789774" "5841158" "5867215" "5880495" "5892253" "5977576" "5986297").PN.	USPAT	2004/06/30 15:10
-	21	5986297.URPN.	USPAT	2004/06/30 15:11
-	1	5986297.URPN. and (MTF crosstalk)	USPAT	2004/07/06 16:41

-	2	"6492848"	USPAT; US-PGPUB; EPO; JPO	2004/06/30 16:17
-	20	5986297.URPN. and (MTF crosstalk cmos)	USPAT	2004/07/06 16:41
-	1	5986297.PN. and (MTF crosstalk cmos)	USPAT	2004/07/07 07:56
-	1	6633334.PN. and (MTF crosstalk cmos)	USPAT	2004/07/07 07:44
-	0	6633334.PN. and (lens\$3)	USPAT	2004/07/07 07:44
-	0	6633334.PN. and (micro\$6)	USPAT	2004/07/07 11:09
-	1	5986297.PN. and (array)	USPAT	2004/07/07 07:56
-	0	6633334.PN. and (active)	USPAT	2004/07/07 08:14
-	1	6633334.PN. and (active)	USPAT	2004/07/07 08:15